GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Water Resources Department - Disciplinary action initiated against Sri Ch.Ravi Kumar, the then DEE, N.N.Division, Kavali under Rule 20 of APCS (CC&A) Rules, 1991 on the allegations of irregularities in six (6) Neeru-Chettu works (Work Nos. 1, 2, 9, 10, 11 and 12) - Expired on 13.10.2023 – Further action abated – Orders - Issued.

WATER RESOURCES (VIG-III.2) DEPARTMENT

G.O.RT.No. 132 Dated: 20-03-2025

Read the following:

1. Vigilance Report No:10/(C.No.4916/V&E/Engg/2019, dt: 04.09.2020 of the General Administration (Vigilance & Enforcement) Department, Vijayawada.
2. G.O.Rt.No.1903, 1915, Water Resources (VIG-III.2) Dept., dt: 19.09.2022.
3. G.O.Rt.No.1971, 1981, Water Resources (VIG-III.2) Dept., dt: 26.09.2022.
4. G.O.Rt.No.1994, Water Resources (VIG-III.2) Department, dt: 27.09.2022.
5. G.O.Rt.No.2005, Water Resources (VIG-III.2) Department, dt: 28.09.2022.
6. Letter from ENC (AW), Lr.No:RC/ENC/K/AD(V1)/AEE-6/NC/NLR/E-8160515, dt: 12.12.2023.

*****

ORDER:

In the reference 1st read above, it was brought to the notice of the Government that certain irregularities were took place in the following six (6) Neeru-Chettu works:

S.No.	Government Order	Name of the Work	Work No.	Annexure No.
1	G.O.Rt.No.1903, W.R. (VIG-III.2) Dept., dt: 19.09.2022.	"Construction of Gated Check Dam with Fiber Reinforced Shutters across the Mangalaguntavaagu near Chinnaannaluru Village in Kaligiri Mandal of Nellore District" (Work No.1) (Annexure-345)	1	345
2	G.O.Rt.No.1915, W.R. (VIG-III.2) Dept., dt: 19.09.2022.	"Construction of Gated Check Dam with Fiber Reinforced Shutters across the Badavathota Vaagu near Veerareddypalem Village in Kaligiri Mandal of Nellore District" (Work No.2) (Annexure-346)	2	346
3	G.O.Rt.No.1971, W.R. (VIG-III.2) Dept., dt: 26.09.2022.	"Construction of Gated Check Dam with Fiber Reinforced Shutters across the Erravaagu near Iskapalli Village in Varikuntapadu Mandal of Nellore District" (Work No.9) (Annexure-353)	9	353

(P.T.O.)

4	G.O.Rt.No.1981, W.R. (VIG-III.2) Dept., dt: 26.09.2022.	"Construction of Gated Check Dam with Fiber Reinforced Shutters across the Makalachenu Vanka of T.Kondareddypalli Village in Varikuntapadu Mandal of Nellore District" (Work No.10) (Annexure-354)	10	354
5	G.O.Rt.No.1994, W.R. (VIG-III.2) Dept., dt: 27.09.2022.	"Construction of Gated Check Dam with Fiber Reinforced Shutters across the Bommagunta Vaagu near Katepalli Village in Vinjamuru Mandal of Nellore District" (Work No.11) (Annexure-355)	11	355
6	G.O.Rt.No.2005, W.R. (VIG-III.2) Dept., dt: 28.09.2022.	"Construction of Gated Check Dam with Fiber Reinforced Shutters across the Nerellavagu near Ravipadu Village in Vinjamuru Mandal of Nellore District" (Work No.12) (Annexure-356)	12	356

2. Whereas in the references 2nd, 3rd, 4th and 5th read above, Article of Charges were issued to Sri Ch.Ravi Kumar, the then DEE, N.N.Division, Kavali in the above six (6) works, under Rule 20 of APCS (CC&A) Rules, 1991.

3. Whereas in the circumstances stated in the reference 6th read above, the Engineer-in-Chief (AW), Water Resources Department, Vijayawada has requested the Government to abate the Article of Charges against Sri Ch.Ravi Kumar, the then DEE, N.N.Division, Kavali as he was expired on 13.10.2023.

4. Government, after careful examination of the matter have decided to abate further action against Sri Ch.Ravi Kumar, the then DEE, N.N.Division, Kavali and accordingly hereby abate further action against Sri Ch.Ravi Kumar, the then DEE, N.N.Division, Kavali against whom Article of Charges, as detailed at Para-1 above, were issued, as he was expired on 13.10.2023, subject to recovery of loss if any, caused to the Government under Rule 9(7) (a) of A.P.R.P. Rules, 1980.

5. The Engineer-in-Chief (AW), Water Resources Department, Vijayawada shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

G SAI PRASAD
SPECIAL CHIEF SECRETARY TO GOVT

To

Legal heirs of late Sri Ch.Ravi Kumar, the then DEE, N.N.Division, Kavali through the Engineer-In-Chief (AW), Vijayawada.

Copy to:

The Engineer-in-Chief (AW), Water Resources Department, A.P., Vijayawada with a request to submit the dated acknowledgement of the individual to the Government without any delay.

The General Administration (Vigilance & Enforcement) Department, Vijayawada.

The Accountant General, A.P., Vijayawada.
The District Treasury Officer concerned.
The Secretary to VC, APVC, Vijayawada.

//FORWARDED::BY ORDER//

SECTION OFFICER